

AJAX < READY >



SECURITY FOGGING SYSTEMS MODULAR Line and COMPACT 390



Anti-intrusion system needs to be connected to a central alarm. A central alarm system increases the security to the installation of the anti-intrusion fogging system.



Fogging system
COMPACT 390
AJAX < READY >



Fogging systems
MODULAR
AJAX < READY >
Line

3 WIRELESS
ACTIVATION MODES
OF THE
FOGGING SYSTEM



1 MOTION SENSORS
By motion detection and door/window opening detection **sensors**, the fog emission is automatically activated.



2 PHOTO VERIFICATION
The **MotionCam** camera motion detection takes a series of animated pictures and sends them for an accurate assessment of the situation; in case of actual need, not a false alarm, the fog emission can be active remotely.



3 ANTIPANIC / ANTI-ROBBERY
If needed, it is possible to activate manually the **Fogging System**, thanks to the keyfob with **SpaceControl** antipanic button, the **DoubleButton** emergency button and the **Button antipanic** button, when the system is not armed.

QUICK INSTALLATION!

No cables or connections required. Ready for wireless use. Excellent high-tech solution at lowest price.

MODULAR AJAX <READY> Line



Desk stand

Wall or ceiling installation

COMPACT 390

AJAX <READY>



Desk stand

Wall or ceiling installation

Product code	Models	Fog emission and saturation:
FPUC390DA	COMPACT 390 AJAX <READY>	covers up to 200 150 m ³ in 50 seconds NO VISIBILITY
FPU03ESM200A	MODULAR 200 AJAX <READY>	covers up to 200 200 m ³ in 28 seconds NO VISIBILITY
FPU03ESM300A	MODULAR 300 AJAX <READY>	covers up to 200 300 m ³ in 40 seconds NO VISIBILITY
FPU03ESM400A	MODULAR 400 AJAX <READY>	covers up to 200 400 m ³ in 46 seconds NO VISIBILITY
FPU03ESM500A	MODULAR 500 AJAX <READY>	covers up to 200 500 m ³ in 48 seconds NO VISIBILITY
FPU03ESM800A	MODULAR 800 AJAX <READY>	covers up to 200 800 m ³ in 69 seconds NO VISIBILITY

Product code	Accessories for COMPACT AJAX <READY>	
FPUSTDC	Desk stand	
FPUWBC	Orientable wall bracket	
SCCCOC	Side extra riser (for second extra board or horizontal mounting)	
SKITHM	Compact Kit for horizontal mounting (side extra riser + fluid bag holder)	
SCOFBHC	Fluid bag holder (for horizontal mounting)	
URCLWF	Active Cloud LAN/WiFi board with cables (optional WiFi antenna)	
URCLWFA	WiFi antenna module for Active Cloud	

Product code	Accessories for MODULAR AJAX <READY> Line	
FPUSTD	Desk stand	
FPUWB	Orientable wall bracket	
URCLWF	Active Cloud LAN/WiFi board (optional WiFi antenna)	
URCLWFA	WiFi antenna module for Active Cloud	
URCLWFM	Mounting Kit for Active Cloud board (cable 12V + flat cable)	



Product code	Refills for COMPACT 390
FFXR500	Fluid bag 500 ml FOOD GRADE
Product code	Refills for MODULAR
FFLXRC2/3	Fluid bag 500 ml
FFLXRC2/3FG	Fluid bag 500 ml FOOD GRADE
FFLXRC4/5	Fluid bag 750 ml
FFLXRC4/5FG	Fluid bag 750 ml FOOD GRADE
FFLXTRC8	Fluid bag 1000 ml
FFLXTRC8FG	Fluid bag 1000 ml FOOD GRADE



ANTI-INTRUSION FLUID **FOOD GRADE**

The only certified Anti-Intrusion Fogging Systems for the protection of food production, processing and sales environments.

FOOD GRADE is the innovative mixture designed to safeguard food productions, processing and sales environments.

FOOD CONTACT certificate for FOOD & BEVERAGE departments.

Produced fog has been tested according to the Food Contact regulation to meet food products without altering their composition and organoleptic properties.

Tests carried out in accordance with Regulation (EC) No 1935/2004.

CONFIGURATION MANUAL WITH ALARM CONTROL PANEL



UR FOG S.r.l.

Operation and delivery to: Via Toscana 38 - 10099 San Mauro T.se (Torino) - Italy

Legal Office: via Giacinto Collegno 11 - 10143 Torino - Italy

Phone +39 11 0133037 | info@urfog.com | www.urfog.com